

Safety **Data Sheet**



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate A Duncan Enterprises Company 5673 East Shields Avenue

Fresno, CA 93727 559-291-4444

559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS

Health Emergencies:

559-291-4444 7:00 am - 3:30 pm Pacific Std. Time

Spill and Off-Hour Health Emergencies:

800-424-9300 U.S. and Canada

703-527-3887 Outside U.S. and Canada (Collect)

Product Name: TULIP BODY ART PAINT (NON-NEON COLORS)

Body Paint Product Description:

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
		* = Chronic Effects

3. COMPOSITION / INGREDIENT INFORMATION

Ingredient	CAS # or CI#
WATER	CAS: 7732-18-5
CALCIUM CARBONATE	CAS: 471-34-1
ACACIA SENEGAL GUM	CAS: 9000-01-5
GLYCERIN	CAS: 56-81-5
IRON OXIDES	CAS: 1332-37-2
TITANIUM DIOXIDE	CI: 77891
FD&C YELLOW NO. 5	CI: 15985
FD&C YELLOW NO. 6	CI: 19140
FD&C YELLOW NO. 10	CI: 47005
FD&C RED NO. 40	CI: 16035
FD&C RED NO. 7	CI: 15850
FD&C BLUE NO. 1	CI: 42090
ULTRAMARINES	CI: 77007
FERRIC FERROCYANIDE	CI: 77510
MICA	CI: 77019

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with large amounts of water for 15 minutes. Consult a

physician.

Skin Contact: Wash affected skin areas thoroughly with soap and water.

Inhalation: Move subject to fresh air.

Ingestion: If swallowed, give plenty of room temperature water. Consult a physician. Never

give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Autoignition Temperature:

Flash Point:

Upper Explosive Limit (%):

Lower Explosive Limit (%):

Extinguisher Media:

Special Firefighting Procedures:

Fire & Explosion Hazards:

Unknown

Not Applicable

Not Applicable

CO2, Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire

Not Applicable

Not Applicable

6. ACCIDENTAL RELEASE MEASURES

0 = Insignificant

Spill or Leak Product is a cream. Will only release if containers are compromised and

Procedures: mixed with water.

NFPA Flammability Hazard Class:

For safety and environmental precautions, please review entire Safety Data Sheet for necessary

information.

7. HANDLING AND STORAGE

Storage Keep in a cool, dry, and well-ventilated area.

Temperature:

Handling / Keep away from ignition sources and high heat. Warehouses should be **Storage:** equipped with emergency handling equipment and operators should be

professionally trained to comply with operation instructions.

Ventilation Ensure closed areas are well ventilated.

Requirements:

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal
Protective Equipment Required:
Eye Protection Requirements:

Normal work conditions, maintenance / repair.
Wear safety glasses with side shields.

Glove Requirements: Gloves not normally required for foreseeable conditions of

use.

Clothing Requirements: Protective clothing is normally not necessary for

foreseeable conditions of use.

Change / Removal of Clothing: Wash work clothing in a timely manner.

Wash Requirements: None

Respirator Requirements: None required under normal handling conditions.

Ventilation Requirements: Use in a well-ventilated area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture:	Mixture
Physical Form:	Liquid
Appearance / Physical Description:	Colored liquid; sweet odor
pH:	6.0 - 7.0
Boiling Point:	No Data
Melting / Freezing Point:	No Data
Odor Threshold:	Not Applicable
Solubility in Water:	Insoluble
Partition Coefficient (n-octanol/water):	Not Applicable
Specific Gravity (Water = 1):	No Data
Bulk Density:	No Data
Volatiles:	No Data
Vapor Pressure:	No Data
Evaporation Rate (Water = 1):	No Data
Vapor Density (Air = 1):	No Data
Volatile Organic Compounds:	No Data
Autoignition Temperature:	Does not self-ignite
Flash Point:	Not Applicable
Oxidizing Properties:	Not Applicable

10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures.

Incompatibilities: No Data

NFPA Reactivity Hazard Class: 0 = Insignificant

Hazardous Decomposition Products: Water
Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure		
Route of Entry		
Acute Effects – Eye:	Irritating to eyes.	
Acute Effects – Skin Contact:	No hazard in normal industrial use	
Acute Effects – Inhalation:	No hazard in normal industrial use	
Acute Effects - Ingestion:	No hazard in normal industrial use	

Chronic (Long-Term) Effects of Exposure		
Effect of Chronic	This product should be considered non – hazardous and has no	
Exposure:	known chronic effects.	
Target Organs:	Not applicable	
Carcinogenicity:	None	

12. ECOLOGICAL INFORMATION

Do not discharge into the envioronment.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.

Empty Container Empty containers may contain product residue; follow SDS and label warnings: warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information

DOT Shipping Name: Paints or Stains 149980 Sub. 2

DOT Hazard Class: Non-hazardous

DOT Reportable Quantity: None

U.N. Number: None
U.N. Class: None

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA Inventory

FDA: 21CFR175.105

SARA/Title III: This product contains no substances at or above the reported threshold under

Section 313, based on available data.

CONFORMS TO
NONTOXIC
ASTM D-4236

Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part

1910.1200(c).

16. OTHER INFORMATION

Table of Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ANSI	American National Standards Institute	
ASTM	American Society for Testing Materials	
°C	Degrees Centigrade	
CAS	Chemical Abstract Service	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CFR	Code of Federal Regulations	
CPR	Controlled Products Regulations	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	
FDA	Food & Drug Administration	
g/I	Grams per liter	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	

16. OTHER INFORMATION (Continued)

Table of Abbreviations (Continued)		
FDA	Food & Drug Administration	
g/l	Grams per liter	
Hg	Mercury	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
LD	Lethal Dose	
mg / kg	Milligram per kilogram	
mm	Millimeter	
SDS	Safety Data Sheet	
MSHA	Mine Safety and Health Administration	
N/A	Not Applicable	
NFPA	National Fire Protection Association	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
ppm	Parts per million	
SARA	Superfund Amendment and Reauthorization Act	
STEL	Short-Term Exposure Limit	
TSCA	Toxic Substances Control Act	
TWA	Time - Weighted Average	
U.N.	United Nations	
WHMIS	Workplace Hazardous Materials Information System	
>	Greater Than	
<	Less Than	

Creation Date:	04/20/11
Revision Date:	01/22/13
Technical Contact:	Frank Peters
	Research & Development Manager
	iLoveToCreate
	A Duncan Enterprises Company
	5673 East Shields Avenue
	Fresno, CA 93727
	559-291-4444
	559-291-9444 (Fax)

<u>Disclaim</u>er

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.